

ROITHNER LASERTECHNIK GIRDH

TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM



SMT850-23

TECHNICAL DATA



Infrared LED, SMD

AIGaAs


SMT850-23 is a AlGaAs LED, mounted on a lead frame as TOP LED package with plastic ball lens. On forward bias, it emits a radiation of typical 22 mW at a peak wavelength of 850 nm.

Specifications

Structure: **AIGaAs** Peak Wavelength: 850 nm Optical Output Power: 22 mW SMD, PPA resin Package: Lead frame die: silver plated Lens: epoxy resin (Ø2.6 mm)

Absolute Maximum Ratings ($T_A=25$ °C)

Item	Symbol	Value	Unit
Power Dissipation	P_{D}	160	mW
Forward Current	I _F	100	mA
Pulse Forward Current *1	I _{FP}	1000	mA
Reverse Voltage	V_R	5	V
Junction Temperature	TJ	100	°C
Thermal Resistance	R _{thja}	190	K/W
Operating Temperature	T_{opr}	-20 +80	°C
Storage Temperature	T _{stq}	-30 +80	°C
Soldering Temperature *2	T _{sol}	255	°C



(Unit: mm)

Electro-Optical Characteristics

Item	Symbol	Condition	Min.	Тур.	Max.	Unit
Forward Voltage	V_{F}	$I_F = 50 \text{ mA}$	-	1.45	1.60	V
Pulse Forward Voltage	V_{FP}	$I_{FP} = 100 \text{mA}, t_P = 20 \text{ms}$	-	1.50	1.80	V
Reverse Current	I _R	$V_R = 5 V$	-	-	10	μA
Total Radiated Power	Po	$I_F = 50 \text{ mA}$	16	22	-	mW
		$I_{FP} = 100 \text{mA}, t_P = 20 \text{ms}$	-	44	-	
Radiant Intensity	I _E	$I_F = 50 \text{ mA}$	-	40	-	mW/sr
		$I_{FP} = 100 \text{mA}, t_P = 20 \text{ms}$	-	80	-	
Peak Wavelength	λ_{P}	$I_F = 50 \text{ mA}$	835	850	865	nm
Half Width	Δλ	$I_F = 50 \text{ mA}$	-	40	-	nm
Viewing Half Angle	Θ _{1/2}	$I_F = 50 \text{ mA}$	-	±15	-	deg.
Rise Time	t _r	$I_F = 50 \text{ mA}$	-	15	-	ns
Fall Time	t _f	$I_F = 50 \text{ mA}$	-	10	-	ns

Radiated Power is measured by Photodyne #500 Radiant Intensity is measured by Tektronix J-6512

Note: The above specifications are for reference purpose only and subjected to change without prior notice.

^{*&}lt;sup>1</sup> duty = 1%, pulse width = 10 μs *² must be completed within 3 seconds at 260°C




ROITHNER LASERTECHNIK GIRDH

WIEDNER HAUPTSTRASSE 76 IO40 VIENNA AUSTRIA TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM



Typical Performance Curves





ROITHNER LASERTECHNIK GIRBH

1040 VIENNA TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM



Precaution for Use

1. Cautions


DO NOT look directly into the emitting area of the LED during operation!

WIEDNER HAUPTSTRASSE 76

WARNING: LED is emitting invisible light!

2. Soldering Conditions

- DO NOT apply any stress to the lead particularly when heat.
- After soldering the LEDs should be protected from mechanical shock or vibration until the LEDs return to room temperature.
- When it is necessary to clamp the LEDs to prevent soldering failure, it is important to minimize the mechanical stress on the LEDs.



3. Static Electricity

- The LEDs are very sensitive to Static Electricity and surge voltage. So it is recommended that a wrist band and/or an antielectrostatic glove be used when handling the LEDs.
- All devices, equipment and machinery must be grounded properly. It is recommended that precautions should be taken against surge voltage to the equipment that mounts the LEDs.



4. Heat Generation

- Thermal design of the end product is of paramount importance. Please consider the heat generation of the LED when making the system design. The coefficient of temperature increase per input electric power is affected by the thermal resistance of the circuit board and density of LED placement on the board, as well as other components. It is necessary to avoid intense heat generation and operate within the maximum ratings given in the specification.
- The operating current should be decided after considering the ambient maximum temperature of LEDs.

5. Storage

- The LEDs should be stored at 30°C or less and 60%RH or less after being shipped and the storage life limits are 3 months. If the LEDs are stored for 3 months or more, they can be stored for a year in a sealed container with nitrogen atmosphere and moisture absorbent material at less than 30%RH.
- Please avoid rapid transitions in ambient temperature, especially in high humidity environments where condensation can occur.