

规格书编号

SPEC NO :

# 产品规格书

# SPECIFICATION

CUSTOMER 客户: \_\_\_\_\_  
PRODUCT 产品: **LC FILTER**  
MODEL NO 型号: **HD L2170**  
PREPARED 编制: Zhouping CHECKED 审核: Houshihong  
APPROVED 批准: CHARLES DATE 日期: 2008-04-08

客户确认 CUSTOMER RECEIVED:		
审核 CHECKED	批准 APPROVED	日期 DATE

无锡市好达电子有限公司  
Shoulder Electronics Limited



### 1. FEATURES

Excellent rejection  
 Good VSWR,1.5:1 typ. @ Passband


### 2. APPLICATIONS

Receivers/Transmitters  
 PMR/PAMR  
 Base station

### 3. ELECTRICAL SPECIFICATION


Operation temperature	-40°C to +85°C
Storage temperature	-55°C to +100°C
RF Power Input	0.5W max

#### 3-1. Typical frequency response




CENTER FREQ (MHz)	PASSBAN D (MHz)	STOPBANDS (MHz)		VSWR (:1)
		Loss<3.0dB	Loss>20dB	
210.5	206.5-214.5	250-280 150-175	0-150 280-1000	1.5

**4.TEST CIRCUIT**



**5. DIMENSION**



<b>1</b>	<b>INPUT</b>	<b>4</b>	<b>GROUND</b>
<b>2</b>	<b>OUTPUT</b>	<b>5</b>	<b>GROUND</b>
<b>3</b>	<b>GROUND</b>	<b>6</b>	<b>GROUND</b>